

**AUSTONE**  
**TIRES**

**AUSTONE**  
**TIRES**



**Make it Count**




**PRODUCTS**  
**BROCHURE**

CARS 4X4 SUV

[austonetire.com](http://austonetire.com)

PASSENGER CAR



SUV&4X4



LIGHT TRUCK



VAN



ALL SEASONS



WINTER



PASSENGER CAR SIZE & PATTERN MATRIX

Rim Diameter	Aspect Ratio	Size	SP-701	SP-701RFT	SP-802	SP-801	CSR72	SP-601 SFT
12"	70	145/70R12					69Q	
		155/70R12				73T		
		165/70R12				77T		
		175/70R12						80H
13"	60	175/60R13				77T		
		155/65R13				73T		
		165/65R13				77T		
		175/65R13				80T		
13"	65	145/70R13				71T		
		155/70R13				75T		
		165/70R13				79T		
		175/70R13				82T		
13"	70	185/70R13				86T		
		155/80R13				79T		
		165/80R13				83T		
		165/60R14		75H				
14"	60	175/60R14		79V				
		185/60R14		82H	82H			
		195/60R14			86H			
		205/60R14		88H				
		155/65R14			75T			
	65	165/65R14			79T			
		175/65R14		82H	82T /86H XL			
		185/65R14		86H				
		155/70R14			77T			
		165/70R14			81T			
70	175/70R14		84H	84T				
	185/70R14			88H				
	195/70R14			91H				
	185/80R14			91T				
	195/50R15		82V	82H				
15"	55	185/55R15		82V				
		195/55R15		85V	85H			
		175/60R15			81H			
		185/60R15		84H	84H			
		195/60R15		88H	88H			
	60	205/60R15			91H			
		175/65R15			84V			
		185/65R15		88H	88H			
		195/65R15		91H	91H /95H XL			
		205/65R15		94H	94H			
16"	50	205/70R15			96H			
		195/50R16		88V XL				
		205/50R16		91V XL				
		195/55R16		87V				
		205/55R16		91V	91H /94V XL			
	55	215/55R16	97V XL		93V			
		225/55R16			95V			
		175/60R16			82H			
		195/60R16			89H			
		205/60R16			92V			
60	215/60R16			95V				
	225/60R16			98V				
	205/65R16			95V				
	245/40Zr17	91W						
	205/45Zr17	88W XL						
17"	45	215/45Zr17	91Y XL					

Notes: \* under development

PASSENGER CAR SIZE & PATTERN MATRIX

Rim Diameter	Aspect Ratio	Size	SP-701	SP-701RFT	SP-802	SP-801	CSR72	SP-601 SFT
17"	45	225/45Zr17	94Y XL					
		235/45Zr17	97W XL					
		245/45Zr17	99W XL					
		205/50R17			93V XL			
	50	205/50Zr17	93W XL					
		215/50R17			91V			
		215/50Zr17	95W XL					
		225/50R17			94V			
		225/50Zr17	98Y XL	98W XL				
		205/55R17	95W XL					
55	215/55R17			94V				
	215/55Zr17	98Y XL						
	225/55R17			101V XL				
	225/55Zr17	101W XL	101W XL					
	215/35Zr18	84W XL						
	255/35Zr18	94Y XL						
18"	35	265/35Zr18	97W XL					
		275/35Zr18	99W XL					
		225/40Zr18	92Y XL					
		235/40Zr18	95W XL					
	40	245/40Zr18	97W XL					
		255/40Zr18	99W XL					
		215/45Zr18	93W XL					
		225/45Zr18	91W	95W XL				
	45	235/45Zr18	98W XL					
		245/45Zr18	100W XL	100W XL				
255/45Zr18		103W XL						
225/50Zr18			95W					
50	245/50Zr18	100W	104W XL					
	255/55R18		*109V XL					
	255/30Zr19	91Y XL						
	225/35Zr19	88Y XL						
19"	35	235/35Zr19	91W XL					
		245/35Zr19	93W XL					
		255/35Zr19	96Y XL					
		275/35Zr19	100Y XL	*96W				
	40	225/40Zr19	93Y XL					
		235/40Zr19	96Y XL					
		245/40Zr19	98W XL	*98W XL				
		255/40Zr19	100Y XL					
	45	225/45Zr19	96Y XL					
		255/45Zr19	104W XL					
255/50Zr19			*107W XL					
55	235/55R19		*101V					
	30	235/30Zr20	88Y XL					
275/30Zr20		*97W XL						
245/35Zr20		95Y XL						
255/35Zr20		97Y XL						
275/35Zr20		102Y XL						
20"	40	245/40Zr20	99Y XL					
	45	275/45Zr20	110V XL					
	55	195/55R20	95V XL					
	35	295/35Zr21	107Y XL					
	35	265/35Zr22	102Y XL					

Notes: \* under development

SUV&4X4 SIZES & PATTERN MATRIX

Rim Diameter	Aspect Ratio	Size	SP-301	SP-301(★)	SP-302	SP-303	SP-306	MASPIRE M/T
15"	60	205/60R15			91H			
		235/60R15	98T					
	65	205/65R15			94H			
		205/70R15			96H			
		215/70R15			98T			
	70	225/70R15				100H		
		255/70R15			108T			
		215/75R15			100T			
	75	235/75R15			109S XL			
		LT235/75R15					104/101Q 6PR	
		P225/75R15			102T			
	100	30X9.50R15LT			104Q 6PR		104Q 6PR	
31X10.50R15LT				109S 6PR		109Q 6PR		
16"	60	205/60R16			92H			
		235/60R16				100T		
	65	215/65R16		102H XL		102V XL		
		255/65R16			109T			
	70	215/70R16			100H	100H		
		225/70R16			103T	103T		
		235/70R16			106T	106H		
		245/70R16			111S XL	107T		
		255/70R16				111T		
		265/70R16			112T		112T	
		275/70R16			114T			
		LT245/70R16					118/115Q 10PR	
LT265/70R16					121/118Q 10PR			
75	225/75R16			108T XL				
	225/75R16LT			115/112Q 10PR				
	245/75R16			111T				
	245/75R16LT			120/116Q 10PR				
	265/75R16			116S				
	LT225/75R16					115/112Q 10PR		
	LT245/75R16					120/116Q 10PR		
	LT265/75R16					123/120Q 10PR		
LT285/75R16					*126/123Q 10PR			
85	235/85R16LT			120/116S 10PR				
	LT235/85R16					120/116Q 10PR		
100	205R16C			110/108S 8PR				
17"	55	235/55R17				99H		
		275/55R17				109V		
	60	215/60R17					96H	
		225/60R17			99H	99V		
		235/60R17			102T	102V		
		255/60R17				106H		
	65	265/60R17			108S			
		215/65R17				103V XL		
		225/65R17			102H	102T		
		235/65R17			108T XL	108V XL		
		245/65R17			107T	111H XL		
		255/65R17				110H		
265/65R17				112T	112H	116T XL		
275/65R17				115T				
LT265/65R17						120/117Q 10PR		

Notes: \* under development

SUV&4X4 SIZES & PATTERN MATRIX

Rim Diameter	Aspect Ratio	Size	SP-301	SP-301(★)	SP-302	SP-303	SP-306	MASPIRE M/T
17"	70	245/70R17LT			119/116S 10PR			
		265/70R17			115T	115T		
		265/70R17LT			121/118Q 10PR			
		LT265/70R17						121/118Q 10PR
	LT285/70R17						121/118Q 10PR	
	LT235/80R17		*120/117R 10PR					
80	33X12.50R17LT							120Q 10PR
	100							
18"	50	215/50R18				92W		
		225/50R18				99W XL		
		235/50R18				101W XL		
	55	215/55R18					99V XL	
		225/55R18					98W	
		235/55R18					104V XL	
	60	255/55R18					109V XL	
		225/60R18					100V	
		235/60R18					107V XL	
		245/60R18					109V XL	
		255/60R18					112V XL	
		265/60R18			110T		110H	
65	235/65R18					110H XL		
	100	33X12.50R18LT					118Q 10PR	
19"	45	245/45R19				102Y XL		
		275/45R19				108Y XL		
		285/45R19				111V XL		
	50	235/50R19					103W XL	
		255/50R19					107V XL	
		265/50R19					110Y XL	
55	225/55R19					103W XL		
	235/55R19					105W XL		
	245/55R19					103W		
20"	255/55R19				111V XL	111V XL		
	35	315/35R20				110Y XL		
	40	275/40R20				106V XL		
	45	245/45R20					103W XL	
		255/45R20					105Y XL	
		265/45R20					108Y XL	
	50	245/50R20					102W	
		255/50R20					109Y XL	
		265/50R20	111V XL			111S XL		
		255/55R20					110V XL	
	100	33X12.50R20LT						114Q 10PR
		35X12.50R20LT						121Q 10PR
21"	30	325/30R21					108Y XL	
		285/35R21					105Y XL	
	40	255/40R21					102Y XL	
		265/40R21					101Y	
		275/40R21					107Y XL	
		285/40R21					109Y XL	
	45	315/40R21					111Y	
		275/45R21					110Y XL	
22"	40	285/40R22				110Y XL		

Notes: \* under development

LT/VAN SIZE & PATTERN MATRIX

Rim Diameter	Size	SP-102	SP-101	ASRT1	CSR34	CSR35	CSR40	CSR69	CSR80	CSR48	CSR45	SP-112	CSR44
12"	145R12LT								80/79Q 6PR, 86/94N 8PR				
	155R12C		88/86Q 8PR						83/81Q 6PR, 88/86Q 8PR				
	5.00R12LT											83/81P 8PR	
	5.00R12ULT											83/81P 8PR	
13"	155R13C							85/83Q 6PR					
	165/70R13C			88/86T 6PR									
	165R13C			94/93Q 8PR									
	175R13C			97/95Q 8PR									
	6.00R13LT											98/93L 10PR	
14"	165/70R14C			89/87R 6PR									
	165R14LT	96/95R 8PR											
	175/65R14C			90/88T 6PR									
	175/70R14C			95/93T 6PR									
	175/75R14LT	99/96S 10PR											
	175R14C			99/98Q 8PR									
	185R14C	102/100R 8PR	102/100R 8PR										
	195R14C	106/104R 8PR	106/104R 8PR										
	205R14C						105/103Q 6PR						
	215R14C			112/110P 8PR									
15"	6.00R14LT											100/95L 10PR	
	185R15C			103/102R 8PR									
	195/70R15C			104/102N 8PR									
	195R15C	106/104R 8PR	106/104R 8PR										
	205/65R15C			102/100T 6PR									
	205/70R15C	106/104R 10PR		106/104R 8PR									
	215/65R15C			104/102T 6PR									
	215/70R15C	109/107R 10PR		109/107R 8PR						109/107Q 8PR			
	225/70R15C			112/110R 8PR						112/110Q 8PR			
	225/75R15C	116/114Q 8PR											
	235/75R15							105S					
	235/75R15LT				104/101Q 6PR								
	31X10.50R15LT				109Q 6PR								
	6.00R15LT											101/97L 10PR	
	6.50R15LT											106/101Q 10PR	
7.00R15LT											109/105Q 10PR		
17215/75R15								100/97Q 6PR					
16"	175/75R16C			101/99Q 8PR									
	175R16C			98/96Q 6PR									
	185/75R16C			104/102R 8PR									
	195/60R16C			99/97T 6PR									
	195/65R16C			104/102(100) R(T) 8PR									
	195/75R16C			107/105R 8PR									
	205/65R16C			107/105(103) T 8PR									
	205/75R16C			110/108Q 8PR									
	205R16C			110/108S 8PR									
	215/60R16C			103/101T 6PR									
	215/65R16C			109/107(106) R(T) 8PR									
	215/75R16C			113/111Q 8PR									
	215/80R16				107SXL								
	225/65R16C			112/110R 8PR									
	225/75R16C			121/120R 10PR									
235/65R16C			115/113R 8PR										
6.50R16LT											107/102Q 10PR		
7.00R16LT											115/110Q 12PR	111/107N 10PR	
17"	215/60R17C			109/107T 8PR									
	225/55R17C			109/107H 10PR									

Notes: \* under development

ALL SEASONS SIZE & PATTERN MATRIX

Rim Diameter	Aspect Ratio	Size	SP-401
13	70	155/70R13	75T
		165/70R13	79T
	80	175/70R13	82T
		155/80R13	79T
14	55	185/55R14	80H
		165/60R14	79H XL
	60	185/60R14	82H
		155/65R14	75T
15	65	175/65R14	86H XL
		165/65R14	79H
	70	185/65R14	86H
		165/70R14	81T
16	50	195/50R15	86W XL
		195/55R15	89V XL
	55	185/55R15	86V XL
		185/60R15	88H XL
17	60	195/60R15	88H
		175/65R15	88H XL
	65	185/65R15	88H
		195/65R15	95V XL
18	45	205/45R16	83W
		195/55R16	91V XL
		215/55R16	97V XL
		205/55R16	91H
	55	205/55R16	94V XL
		225/55R16	99V XL
		175/60R16	82H
		205/60R16	96V XL
	60	215/60R16	99V XL
		215/65R16	98H
		215/45R17	91W XL
		225/45R17	94V XL
65	235/45R17	97W XL	
	205/50R17	93W XL	
	225/50R17	98V XL	
	225/55R17	101W XL	
19	40	235/55R17	103W XL
		215/60R17	100V XL
	45	225/65R17	106V XL
		235/65R17	108V XL
21	50	265/65R17	112H
		225/40R18	92W XL
	55	225/45R18	95T
		215/50R18	92W
20	55	225/55R18	102V XL
		235/55R18	104V XL
	60	255/55R18	109W XL
		235/60R18	107V XL
19	265/60R18	114V XL	
	255/50R19	107V XL	
18	235/55R19	105W XL	
	295/40R21	111V XL	

Notes: \* under development

WINTER SIZE & PATTERN MATRIX

Rim Diameter	Aspect Ratio	Size	SP-901	SP-902
12	70	145/70R12		69S
		155R12C		88/86Q
13	65	155/65R13		73T
		165/65R13		77S
	70	145/70R13		71T
		155/70R13		75T
14	70	165/70R13		79T
		165/70R13C		88/86Q
	80	175/70R13		86T
		145/80R13		75T
15	55	155/80R13		79T
		155R13C		90/88Q
	60	165R13C		94/93Q
		6.00R13LT		98/93Q
16	55	185/55R14	80H	
		165/60R14	75T	
	60	185/60R14	86H	
		195/60R14	86S	

WINTER SIZE & PATTERN MATRIX

Rim Diameter	Aspect Ratio	Size	SP-901	SP-902	
14	65	155/65R14	75T		
		165/65R14	79T		
		175/65R14	86T		
		175/65R14C		90/88T	
	70	185/65R14	86T		
		165/70R14	85T		
		165/70R14C		89/87R 6PR	
		175/70R14	88T		
		175/70R14C		95/93Q	
		185/70R14	88T		
	80	175/80R14	88T		
		175R14C		99/98Q	
185R14C			102/100Q		
195R14C			106/104Q		
15	50	6.00R14LT		99/95Q	
		195/50R15	82H		
		175/55R15	77T		
		185/55R15	86H		
	55	195/55R15	85H		
		185/60R15	88T		
		195/60R15	88H		
	60	165/65R15	81T		
		175/65R15	88T		
		185/65R15	88H		
		195/65R15	91H		
		205/65R15	94H		
		205/65R15C		102/100T	
	70	195/70R15C		104/102Q	
		205/70R15	96T		
		205/70R15C		106/104R 8PR	
		215/70R15C		109/107R 8PR	
		225/70R15C		112/110Q	
		215/75R15LT		106/103S	
		235/75R15	109T		
		6.00R15LT		101/97Q	
	16	45	195/45R16	84H	
			205/45R16	87V	
			195/50R16	88V	
50		205/50R16	91V		
		195/55R16	87H		
		205/55R16	91H/94H		
		215/55R16	97H		
		215/55R17	98V		
55		225/55R16	99V		
		195/60R16C		99/97T	
		205/60R16	92H/96H		
		215/60R16	91H		
		215/60R16C		103/101T	
		225/60R16	102H		
60		235/60R16	100H		
		195/65R16C		104/102 (100) T	
		205/65R16C		107/105 (103) T	
		215/65R16	98H		
		215/65R16C		109/107 (106) RT 8PR	
		225/65R16C		112/110R 8PR	
		235/65R16C		115/113R 8PR	
		215/70R16	100T		
70		225/70R16	103H		
		235/70R16	106T		
	245/70R16	107T			
	265/70R16	112T			
	185/75R16C		104/102R 8PR		
	195/75R16C		107/105R 8PR		
	205/75R16C		110/108Q		
	215/75R16C		116/114N		
	225/75R16C		121/120R 10PR		
	245/75R16LT		120/116Q		
75	6.50R16LT		107/102Q		
	7.00R16LT		115/110Q		

WINTER SIZE & PATTERN MATRIX

Rim Diameter	Aspect Ratio	Size	SP-901	SP-902
17	40	205/40R17	84V	
		215/40R17	87V	
	45	205/45R17	88V	
		215/45R17	91V	
		225/45R17	94V	
		235/45R17	97V	
		245/45R17	99V	
		205/50R17	93V	
	50	215/50R17	91H	
		225/50R17	98V	
		205/55R17	95H	
		215/55R17	94H	
	55	225/55R17	101V	
		235/55R17	103V	
		195/60R16	89H	
		215/60R17	96H	
		225/60R17	99H	
		235/60R17	102V	
	60	225/65R17	102H	
		235/65R17	104V/108V	
		245/65R17	111H	
		265/65R17	116H	
		265/70R17LT		121/118Q
		225/40R18	92V	
18	40	235/40R18	95V	
		245/40R18	97V	
		255/40R18	99H	
	45	225/45R18	95W	
		235/45R18	98V	
		245/45R18	100V	
	50	225/50R18	99V	
		235/50R18	101V	
		215/55R18	95H	
		225/55R18	102V	
		235/55R18	104V	
		255/55R18	109V	
55	225/60R18	100H		
	235/60R18	107V		
	265/60R18	114H		
	235/65R18	110H		
	225/35R19	88W		
	235/35R19	91W		
19	40	245/40R19	98W	
	45	255/45R19	104V	
	50	235/50R19	103V	
	55	255/50R19	107V	
	55	235/55R19	105V	
	55	255/55R19	111V	
20	40	275/40R20	106W	
	45	275/45R20	110W	
21	35	295/35R21	107V	

# PASSENGER CAR



**UHP**

**SP-701**

**HP**

**SP-801**

**SP-802**

**SP-601<sub>SFT</sub>**

**STD**

**CSR72**

# SP-701



EXCELLENT  
HANDLING



HIGH SPEED  
PERFORMANCE

## TIRE PERFORMANCE



GOOD CHOICE FOR MEDIUM & HIGH  
GRADE CAR, SPORTS CAR, SPORTS SUV

- The pattern structure design provides driving safety.
- Effective noise control provides quality ride experience everyday.

RIM Diameter	Size	Load type	LI	SS	R.R	W/G	Noise Value	Noise level
16	215/55R16 XL	XL	97	V	C	C	72	))
	205/45Zr17 XL	XL	88	W	C	C	72	))
	205/50Zr17 XL	XL	93	W	C	C	72	))
	205/55R17 XL	XL	95	W	C	C	72	))
	215/45Zr17 XL	XL	91	Y	C	C	72	))
	215/50Zr17 XL	XL	95	W	C	C	72	))
	215/55Zr17 XL	XL	98	Y	C	C	72	))
	225/45Zr17 XL	XL	98	Y	C	C	72	))
	225/50Zr17 XL	XL	94	Y	C	C	72	))
	225/55Zr17 XL	XL	101	W	C	C	72	))
17	235/45Zr17 XL	XL	97	W	C	C	72	))
	245/40Zr17		91	W	C	C	71	))
	245/45Zr17 XL	XL	99	W	C	C	72	))
	215/35Zr18 XL	XL	84	W	C	C	72	))
	215/45Zr18 XL	XL	93	W	C	C	71	))
	225/40Zr18 XL	XL	92	Y	C	C	72	))
	225/45Zr18		91	W	C	C	71	))
	235/40Zr18 XL	XL	95	W	C	C	70	))
	235/45Zr18 XL	XL	98	W	C	C	72	))
	245/40Zr18 XL	XL	97	W	C	C	72	))
18	245/45Zr18 XL	XL	100	W	C	C	72	))
	245/50Zr18		100	W	-	-	-	))
	255/35Zr18 XL	XL	94	Y	C	C	73	))
	255/40Zr18 XL	XL	99	W	C	C	73	))
	255/45Zr18 XL	XL	103	W	C	C	73	))
	265/35Zr18 XL	XL	97	W	C	C	73	))
	275/35Zr18 XL	XL	99	W	C	C	73	))
	225/35Zr19 XL	XL	88	Y	C	C	72	))
	225/40Zr19 XL	XL	93	Y	C	C	72	))
	225/45Zr19 XL	XL	96	Y	C	C	72	))
19	235/35Zr19 XL	XL	91	W	C	C	72	))
	235/40Zr19 XL	XL	96	Y	C	C	72	))
	245/35Zr19 XL	XL	93	W	C	C	72	))
	245/40Zr19 XL	XL	98	W	C	C	72	))
	255/30Zr19 XL	XL	91	Y	C	C	73	))
	255/35Zr19 XL	XL	96	Y	C	C	73	))
	255/40Zr19 XL	XL	100	Y	C	C	73	))
	255/45Zr19 XL	XL	104	W	C	C	73	))
	275/35Zr19 XL	XL	100	Y	C	C	73	))
	195/55R20 XL	XL	95	V	C	C	72	))
20	235/30Zr20 XL	XL	88	Y	C	C	72	))
	245/35Zr20 XL	XL	95	Y	C	C	72	))
	245/40Zr20 XL	XL	99	Y	C	C	72	))
	255/35Zr20 XL	XL	97	Y	C	C	73	))
	* 275/30Zr20 XL	XL	97	W	-	-	-	))
	275/35Zr20 XL	XL	102	Y	C	C	73	))
	275/45R20 XL	XL	110	V	C	C	73	))
	295/35Zr21 XL	XL	107	Y	C	C	70	))
21	265/35Zr22 XL	XL	102	Y	C	C	73	))
	265/35Zr22 XL	XL	102	Y	C	C	73	))

Notes: \* under development

# SP-701 RFT



EXCELLENT HANDLING



HIGH SPEED PERFORMANCE

## TIRE PERFORMANCE



GOOD CHOICE FOR MEDIUM & HIGH GRADE CAR, SPORTS CAR, SPORTS SUV

- A new self-supporting reinforced material is added at SW and bead area to "prop up" the car body to continue driving.
- Tire strength and low heat generation performance are improved remarkably by replacing the traditional polyester fiber with modified rayon.



Normal Tire (Air Leakage)



Runflat Tire (Air Leakage)



RIM Diameter	Size	Load type	LI	SS
17	225/50ZR17	XL	98	W
	225/55ZR17	XL	101	W
18	225/45ZR18	XL	95	W
	225/50ZR18		95	W
	245/45ZR18	XL	100	W
	245/50ZR18	XL	104	W
19	* 255/55R18	XL	109	V
	* 235/55R19		101	V
	* 245/40ZR19	XL	98	W
	* 255/50ZR19	XL	107	W
	* 275/35ZR19		96	W

Notes: \* under development

# SP-801



FUEL ECONOMY



COMFORT

## TIRE PERFORMANCE



ORDINARY FAMILY CAR TIRES

- Good fuel economy, environment friendly.
- Wear resistant compound and optimized tread groove design provide longer tire mileage.

RIM Diameter	Size	Load type	LI	SS
12	155/70R12		73	T
	165/70R12		77	T
	155/65R13		73	T
	155/70R13		75	T
	155/80R13		79	T
	165/65R13		77	T
13	165/70R13		79	T
	165/80R13		83	T
	175/60R13		77	T
	175/65R13		80	T
	175/70R13		82	T
	185/70R13		86	T
	155/65R14		75	T
	155/70R14		77	T
	165/65R14		79	T
	165/70R14		81	T
14	175/65R14		82	T
	175/65R14	XL	86	H
	175/70R14		84	T
	185/60R14		82	H
	185/65R14		86	H
	185/70R14		88	H
	185/80R14		91	T
	195/60R14		86	H
	195/70R14		91	H
	175/60R15		81	H
15	185/60R15		84	H
	185/65R15		88	H
	195/50R15		82	H
	195/55R15		85	H
	195/60R15		88	H
	195/65R15		91	H
	195/65R15	XL	95	H
	205/60R15		91	H
	205/65R15		94	H
	205/70R15		96	H
16	205/55R16		91	H
	205/55R16	XL	94	V



# SP-802

A TIRE ENGINEERED  
FOR FAMILY CAR



QUIET  
RIDE



DEPENDABLE  
WET GRIP



15



- More comfortable and quiet driving experience.

- Provide better protection with driving.

- New compound cooperate with new pattern design bring new experience.

16



## SP-802

RIM Diameter	Size	Load type	LI	SS	R.R	W/G	Noise Value	Noise level
14	165/60R14		75	H	D	B	69	2 )))
	175/60R14		79	V	D	B	69	2 )))
	175/65R14		82	H	D	B	69	2 )))
	175/70R14		84	H	D	B	70	2 )))
	185/60R14		82	H	D	B	69	2 )))
	185/65R14		86	H	D	B	70	2 )))
15	205/60R14		88	H	C	B	70	2 )))
	175/65R15		84	V	D	B	69	2 )))
	185/55R15		82	V	D	B	69	2 )))
	185/60R15		84	H	D	B	69	2 )))
	185/65R15		88	H	D	B	70	2 )))
	195/50R15		82	V	D	B	70	2 )))
	195/55R15		85	V	D	B	70	2 )))
	195/60R15		88	H	D	B	70	2 )))
	195/65R15		91	H	D	B	70	2 )))
	205/65R15		94	H	C	B	70	2 )))
16	175/60R16		82	H	D	B	70	2 )))
	195/50R16		88	V	D	B	70	2 )))
	195/55R16		87	V	D	B	70	2 )))
	195/60R16		89	H	D	B	70	2 )))
	205/50R16	XL	91	V	C	B	72	2 )))
	205/55R16		91	V	C	B	69	2 )))
	205/60R16		92	V	C	B	70	2 )))
	205/65R16		95	V	C	B	70	2 )))
	215/55R16		93	V	C	B	70	2 )))
	215/60R16		95	V	C	B	70	2 )))
17	225/55R16		95	V	C	B	70	2 )))
	225/60R16		98	V	C	B	70	2 )))
	205/50R17	XL	93	V	C	B	70	2 )))
	215/50R17		91	V	C	B	70	2 )))
	215/55R17		94	V	C	B	70	2 )))
	225/50R17		94	V	C	B	71	2 )))
	225/55R17	XL	101	V	C	B	70	2 )))

# SP-601SFT



- COMFORT
- QUIET
- WET GRIP

## TIRE PERFORMANCE



MEDIUM & HIGH GRADE CAR,  
CUV, MULTI-PURPOSE VAN

RIM Diameter	Size	Load type	LI	SS
12	175/70R12	-	80	H

# CSR72



- FUEL ECONOMY

## TIRE PERFORMANCE



ORDINARY FAMILY CAR TIRE

RIM Diameter	Size	Load type	LI	SS
12	145/70R12	-	69	Q

# SUV&4X4

**H/P** SP-303

**H/T** SP-301(★)

**A/T** SP-302 SP-306

**M/T** MASPIRE M/T



# SP-303



- EXCELLENT HANDLING
- COMFORTABLE WITH LOW NOISE
- ANTI-HYDROPLANING

## TIRE PERFORMANCE



SUV

- Precise handling provides excellent driving experience.
- Multi-pitch design controls noise effectively and makes driving more comfortable.
- The pattern design effectively improves driving safety.

RIM Diameter	Size	Load type	LI	SS	R.R	W/G	Noise Value	Noise level	
15	225/70R15		100	H	C	C	71	)	
	215/65R16	XL	102	V	C	C	72	)	
	215/70R16		100	H	C	C	71	)	
16	225/70R16		103	T	C	C	71	)	
	235/60R16		100	T	C	C	71	)	
	235/70R16		106	H	C	C	71	)	
	245/70R16		107	T	C	C	71	)	
	255/70R16		111	T	C	C	72	)	
	215/60R17		96	H	C	C	71	)	
17	215/65R17	XL	103	V	C	C	72	)	
	225/60R17		99	V	C	C	71	)	
	225/65R17		102	T	C	C	71	)	
	235/55R17		99	H	C	C	71	)	
	235/60R17		102	V	C	C	71	)	
	235/65R17	XL	108	V	C	C	72	)	
	245/65R17	XL	111	H	C	C	72	)	
	255/60R17		106	H	C	C	72	)	
	255/65R17		110	H	C	C	72	)	
	265/65R17		112	H	C	C	72	)	
	265/70R17		115	T	C	C	72	)	
	275/55R17		109	V			0	)	
	18	215/50R18		92	W	C	C	71	)
		215/55R18	XL	99	V	C	C	72	)
		225/50R18	XL	99	W	C	C	72	)
225/55R18			98	W	C	C	71	)	
225/60R18			100	V	C	C	71	)	
235/50R18		XL	101	W	C	C	72	)	
235/55R18		XL	104	V	C	C	72	)	
235/60R18		XL	107	V	C	C	72	)	
235/65R18		XL	110	H	C	C	72	)	
245/60R18		XL	109	V	C	C	72	)	
255/55R18		XL	109	V	C	C	73	)	
255/60R18		XL	112	V	C	C	73	)	
19	265/60R18		110	H	C	C	72	)	
	225/55R19	XL	103	W	C	C	72	)	
	235/50R19	XL	103	W	C	C	72	)	
	235/55R19	XL	105	W	C	C	72	)	
	245/45R19	XL	102	Y	C	C	72	)	
	245/55R19		103	W	C	C	71	)	
	255/50R19	XL	107	V	C	C	73	)	
	255/55R19	XL	111	V	C	C	73	)	
	265/50R19	XL	110	V	C	C	73	)	
20	275/45R19	XL	108	Y	C	C	73	)	
	285/45R19	XL	111	V	C	C	72	)	
	245/45R20	XL	103	W	C	C	72	)	
	245/50R20		102	W	C	C	71	)	
	255/45R20	XL	105	Y	C	C	73	)	
	255/50R20	XL	109	Y	C	C	73	)	
	255/55R20	XL	110	V	C	C	72	)	
	265/45R20	XL	108	Y	C	C	73	)	
21	275/40R20	XL	106	V	C	C	73	)	
	315/35R20	XL	110	Y	C	C	75	)	
	255/40R21	XL	102	Y	C	C	73	)	
	265/40R21		101	Y	C	C	72	)	
	275/40R21	XL	107	Y	C	C	73	)	
	275/45R21	XL	110	Y	C	C	73	)	
	285/35R21	XL	105	Y	C	C	75	)	
22	285/40R21	XL	109	Y	C	C	75	)	
	315/40R21		111	Y	C	C	74	)	
	325/30R21	XL	108	Y	C	C	73	)	
	285/40R22	XL	110	Y	C	C	75	)	

Notes: \* under development

# SP-301(★)



- EXCELLENT HANDLING
- COMFORTABLE WITH LOW NOISE
- ANTI-HYDROPLANING

## TIRE PERFORMANCE



SUV

- Optimized lug and sipes design provides excellent grip, thus makes the traveling comfort with lower noise and better traction.
- Computer optimized crisscross pattern provides better water dispersion in wet conditions.
- Optimized lug groove, provides excellent grip on wet road with good self-cleaning performance.

RIM Diameter	Size	Load type	LI	SS
15	235/60R15		98	T
20	265/50R20	XL	111	V
16	215/65R16	XL	102	H

# SP-302



OFF ROAD  
TRACTION



RELIABLE  
SAFETY

## TIRE PERFORMANCE



SUV

- Block pattern design brings excellent off road traction.
- 3D structure design of the shoulder provides stable and effective escape capability in all road conditions.
- Optimized tread depth combined with high wear resistant tread compound brings ultra high mileage.
- The overall pattern design keeps the driving safety under various conditions and increases tread life at the same time.

RIM Diameter	Size	Load type	PR	LI	SS	R,R	W/G	Noise Value	Noise level
15	205/60R15			91	H				
	205/65R15			94	H				
	205/70R15			96	H	D	C	71	)
	215/70R15			98	T	D	C	71	)
	215/75R15			100	T	D	C	71	)
	235/75R15	XL		109	S	D	C	72	)
	255/70R15			108	T	D	C	72	)
	30X9.50R15LT		6PR	104	Q	C	B	73	)
	31X10.50R15LT		6PR	109	S	C	B	73	)
	P225/75R15			102	T	D	C	71	)
16	205/60R16			92	H				
	205R16C		8PR	110/108	S	C	B	73	)
	215/70R16			100	H	D	C	71	)
	225/70R16			103	T	D	C	71	)
	225/75R16	XL		108	T	D	C	72	)
	225/75R16LT		10PR	115/112	Q	C	B	73	)
	235/70R16			106	T	D	C	71	)
	235/85R16LT		10PR	120/116	S	C	B	73	)
	245/70R16	XL		111	S	D	C	72	)
	245/75R16			111	T	D	C	71	)
	245/75R16LT		10PR	120/116	Q	C	B	73	)
	255/65R16			109	T	D	C	72	)
	265/70R16			112	T	D	C	72	)
265/75R16			116	S	D	C	72	)	
275/70R16			114	T	D	C	72	)	
17	225/60R17			99	H	D	C	71	)
	225/65R17			102	H	D	C	71	)
	235/60R17			102	T	D	C	71	)
	235/65R17	XL		108	T	D	C	72	)
	245/65R17			107	T	D	C	71	)
	245/70R17LT		10PR	119/116	S				
	265/60R17			108	S				
	265/65R17			112	T	D	C	72	)
	265/70R17			115	T	D	C	72	)
	265/70R17LT		10PR	121/118	Q	C	B	73	)
275/65R17			115	T	D	C	72	)	
18	265/60R18			110	T	D	C	72	)
19	255/55R19	XL		111	V				
20	265/50R20	XL		111	S				

# SP-306



OFF ROAD  
TRACTION



SAFETY

## TIRE PERFORMANCE



SUV

Size	LI	SS	Load Type	R,R	W/G	Noise Value	Noise Class
265/70R16	112	T		C	B	72	)
265/65R17 OWL	116	T	XL	C	B	73	)

Owl stands for white side wall

# MASPIRE M/T

SUV

EXCELLENT  
GRIP

DURABILITY



TRACTION



23



- Simulation of sharp tooth pattern block and zigzag groove design, even though contact with bad road, it also provides excellent grip and traction ability.

- The reinforced shoulder pattern block and 3D sidewall design can pass freely under various road conditions.

- The design of 3D shoulder can effectively protect the sidewall.

- Excellent stone and mud discharge ability, greatly improve the tire life.



24

## MASPIRE M/T

RIM Diameter	Size	PR	LI	SS	Remark
15	30X9.50R15LT	6PR	104	Q	OWL
	31X10.50R15LT	6PR	109	Q	OWL
	LT235/75R15	6PR	104/101	Q	OWL
16	LT225/75R16	10PR	115/112	Q	
	LT235/85R16	10PR	120/116	Q	
	LT245/70R16	10PR	118/115	Q	
	LT245/75R16	10PR	120/116	Q	
	LT265/70R16	10PR	121/118	Q	
	LT265/75R16	10PR	123/120	Q	
	LT265/75R16	10PR	123/120	Q	OWL
17	LT285/75R16	10PR	126/123	Q	
	33X12.50R17LT	10PR	120	Q	
	LT265/65R17	10PR	120/117	Q	
	LT265/70R17	10PR	121/118	Q	
18	LT285/70R17	10PR	121/118	Q	
	33X12.50R18LT	10PR	118	Q	
20	33X12.50R20LT	10PR	114	Q	
	35X12.50R20LT	10PR	121	Q	

Owl stands for white side wall

# VAN&LT



**VAN**

SP-102

ASR71

CSR34

CSR35

CSR40

CSR69

CSR80

CSR48

CSR45

**LT**

SP-112

CSR44



# SP-102

VAN



GOOD  
LOAD



LONG  
WEAR



GOOD  
WET GRIP



27



- Mature pattern and formula design, improve tread life and mileage.

- With greatly improve the grip, driving becomes safer.

- The high strength skeleton material enhances the overall rigidity of the tire to meet the load bearing requirements.

28



## SP-102

RIM Diameter	Size	PR	LI	SS	R.R	W/G	Noise Value	Noise level
14	165R14LT	8PR	96/95	R	C	B	72	)
	175/75R14LT	10PR	99/96	S	C	B	72	)
	185R14C	8PR	102/100	R	C	B	72	)
	195R14C	8PR	106/104	R	C	B	72	)
15	195R15C	8PR	106/104	R	C	B	72	)
	205/70R15C	10PR	106/104	R	C	B	72	)
	215/70R15C	10PR	109/107	R	C	B	72	)
	225/75R15C	8PR	116/114	Q	C	B	72	)

Notes: \* under development

# ASR71



HIGH LOAD



HIGH MILEAGE



ANTI-HYDROPLANING

## TIRE PERFORMANCE



ALL TERRAIN COMMERCIAL LT.  
VAN, PICK-UP

RIM Diameter	Size	PR	LI	SS	R.R	W/G	Noise Value	Noise level
13	165/70R13C	6PR	88/86	T	C	A	72	))
	165R13C	8PR	94/93	Q	C	A	72	))
	175R13C	8PR	97/95	Q	C	A	72	))
14	165/70R14C	6PR	89/87	R	C	A	72	))
	175/65R14C	6PR	90/88	T	C	A	72	))
	175/70R14C	6PR	95/93	T	C	A	72	))
	175R14C	8PR	99/98	Q	C	A	72	))
	215R14C	8PR	112/110	P	C	A	72	))
15	185R15C	8PR	103/102	R	C	A	72	))
	195/70R15C	8PR	104/102	N	C	A	72	))
	205/65R15C	6PR	102/100	T	C	A	72	))
	205/70R15C	8PR	106/104	R	C	A	72	))
	215/65R15C	6PR	104/102	T	C	A	72	))
	215/70R15C	8PR	109/107	R	C	A	72	))
	225/70R15C	8PR	112/110	R	C	A	72	))
16	175/75R16C	8PR	101/99	Q	C	A	72	))
	175R16C	6PR	98/96	Q	C	A	72	))
	185/75R16C	8PR	104/102	R	C	A	72	))
	195/60R16C	6PR	99/97	T	C	A	72	))
	195/65R16C	8PR	104/102(100)	R(T)	C	A	72	))
	195/75R16C	8PR	107/105	R	C	A	72	))
	205/65R16C	8PR	107/105(103)	T	C	A	72	))
	205/75R16C	8PR	110/108	Q	C	A	72	))
	205R16C	8PR	110/108	S	C	A	72	))
	215/60R16C	6PR	103/101	T	C	A	72	))
	215/65R16C	8PR	109/107(106)	R(T)	C	A	72	))
	215/75R16C	8PR	113/111	Q	C	A	72	))
17	225/65R16C	8PR	112/110	R	C	A	71	))
	225/75R16C	10PR	121/120	R	C	A	72	))
	235/65R16C	8PR	115/113	R	C	A	72	))
	215/60R17C	8PR	109/107	T				
	* 225/55R17C	10PR	109/107	H				

Notes: \* under development

# CSR34



## TIRE PERFORMANCE



COMMERCIAL VAN AND PICK-UP

Size	PR	LI	SS	Load Type
235/75R15LT	6PR	104/101	Q	
31X10.50R15LT	6PR	109	Q	
215/80R16		107	S	XL

# CSR35



## TIRE PERFORMANCE



SUITABLE FOR VARIOUS LIGHT TRUCK  
PICKUP TRUCKS

Size	PR	LI	SS	R.R	W/G	NOISE VALUE	NOISE CLASS
205R14C	6PR	105/103	Q	C	B	72	))



# CSR40



TIRE PERFORMANCE



COMMERCIAL VAN AND PICK-UP

Size	PR	LI	SS	R.R	W/G	NOISE VALUE	NOISE CLASS
155R13C	6PR	85/83	Q	D	A	72	))

# CSR69



TIRE PERFORMANCE



COMMERCIAL VAN AND PICK-UP

Size	PR	LI	SS
235/75R15		105	S
LT215/75R15	6PR	100/97	Q

# CSR80



TIRE PERFORMANCE



COMMERCIAL VAN AND PICK-UP

Size	PR	LI	SS	R.R	W/G	NOISE VALUE	NOISE CLASS
145R12LT	6PR	80/78	Q				
145R12LT	8PR	86/84	N	D	B	72	))
155R12C	6PR	83/81	Q	D	B	72	))
155R12C	8PR	88/86	Q				

# CSR48



TIRE PERFORMANCE

Size	PR	LI	SS
225/70R15C	8PR	112/110	Q

# CSR45



## TIRE PERFORMANCE



SUITABLE FOR VARIOUS LIGHT TRUCK/  
PICKUP TRUCKS

Size	PR	LI	SS	R.R	W/G	NOISE VALUE	NOISE CLASS
215/70R15C	8PR	109/107	Q	C	C	71	))

# CSR44



## TIRE PERFORMANCE



SUITABLE FOR VARIOUS  
LIGHT-LOAD GOODS VEHICLES

Size	PR	LI	SS
7.00R16LT	10PR	111/107	N

# SP-112



## TIRE PERFORMANCE



ALL TERRAIN COMMERCIAL LIGHT TRUCK,  
SMALL & MEDIUM-SIZED BUS

Size	PR	LI	SS	R.R	W/G	NOISE VALUE	NOISE CLASS
5.00R12LT	8PR	83/81	P				
6.00R13LT	10PR	98/93	L				
6.00R14LT	10PR	100/95	L				
6.00R15LT	10PR	101/97	L				
6.50R15LT	10PR	106/101	Q	C	C	72	))
6.50R16LT	10PR	107/102	Q	C	C	72	))
7.00R15LT	10PR	109/105	Q	C	C	72	))
7.00R16LT	12PR	115/110	Q	C	C	72	))

# ALL SEASONS

35

36



ALL SEASONS

SP-401

# FixClime SP-401

FOR ALL WEATHER CONDITIONS



GOOD HANDLING



WET GRIP



COMFORT



- Unique tread compound provides reliable traction in all weather conditions.
- Massive lateral grooves combined with open shoulder disperse water quickly and prevent snow buildup.
- 3D siping cuts into water film deeply and enhances wet grip.
- “V” shaped pattern along with dense 3D sipes delivers improved handling and grip in turns.

## SP-401

RIM Diameter	Size	Load type	LI	SS	R.R	W/G	Noise Value	Noise level
13	155/70R13		75	T	D	C	71	
	155/80R13		79	T	D	C	71	
	165/70R13		79	T	D	C	71	
14	175/70R13		82	T	D	C	71	
	155/65R14		75	T	D	C	71	
	165/60R14	XL	79	H	D	C	71	
	165/65R14		79	H	D	C	71	
	165/70R14		81	T	D	C	71	
	175/65R14	XL	86	H	D	C	71	
15	185/55R14		80	H	D	C	71	
	185/60R14		82	H	D	C	71	
	185/65R14		86	H	D	C	71	
	175/65R15	XL	88	H	D	C	71	
	185/55R15	XL	86	V	D	C	72	
	185/60R15	XL	88	H	D	C	71	
	185/65R15		88	H	D	C	71	
	195/50R15	XL	86	W	D	C	72	
	195/55R15	XL	89	V	D	C	72	
16	195/60R15		88	H	D	C	72	
	195/65R15		88	H	D	C	71	
	195/60R15		88	H	D	C	71	
	195/65R15		88	H	D	C	72	
	195/60R15		88	H	D	C	72	
	195/65R15		88	H	D	C	72	
	195/60R15		88	H	D	C	72	
	195/65R15		88	H	D	C	72	
	195/60R15		88	H	D	C	72	
	195/65R15		88	H	D	C	72	
	195/60R15		88	H	D	C	72	
	195/65R15		88	H	D	C	72	
17	195/60R15		88	H	D	C	71	
	195/65R15		88	H	D	C	71	
	195/60R15		88	H	D	C	71	
	195/65R15		88	H	D	C	71	
	195/60R15		88	H	D	C	71	
	195/65R15		88	H	D	C	71	
	195/60R15		88	H	D	C	71	
	195/65R15		88	H	D	C	71	
	195/60R15		88	H	D	C	71	
	195/65R15		88	H	D	C	71	
	195/60R15		88	H	D	C	71	
	195/65R15		88	H	D	C	71	
18	195/60R15		88	H	D	C	71	
	195/65R15		88	H	D	C	71	
	195/60R15		88	H	D	C	71	
	195/65R15		88	H	D	C	71	
	195/60R15		88	H	D	C	71	
	195/65R15		88	H	D	C	71	
	195/60R15		88	H	D	C	71	
	195/65R15		88	H	D	C	71	
	195/60R15		88	H	D	C	71	
	195/65R15		88	H	D	C	71	
	195/60R15		88	H	D	C	71	
	195/65R15		88	H	D	C	71	
19	205/50R16	XL	95	V	D	C	72	
	205/55R16	XL	89	V	D	C	72	
	205/60R16		88	H	D	C	72	
	205/65R16		88	H	D	C	72	
	205/50R16		88	H	D	C	72	
	205/55R16		88	H	D	C	72	
20	205/60R16		88	H	D	C	72	
	205/65R16		88	H	D	C	72	
	205/60R16		88	H	D	C	72	
	205/65R16		88	H	D	C	72	
	205/60R16		88	H	D	C	72	
	205/65R16		88	H	D	C	72	
	205/60R16		88	H	D	C	72	
	205/65R16		88	H	D	C	72	
	205/60R16		88	H	D	C	72	
	205/65R16		88	H	D	C	72	
	205/60R16		88	H	D	C	72	
	205/65R16		88	H	D	C	72	
21	205/60R16		88	H	D	C	72	
	205/65R16		88	H	D	C	72	
	205/60R16		88	H	D	C	72	
	205/65R16		88	H	D	C	72	
	205/60R16		88	H	D	C	72	
	205/65R16		88	H	D	C	72	
	205/60R16		88	H	D	C	72	
	205/65R16		88	H	D	C	72	
	205/60R16		88	H	D	C	72	
	205/65R16		88	H	D	C	72	
	205/60R16		88	H	D	C	72	
	205/65R16		88	H	D	C	72	

Notes: \* under development

# WINTER

39



WINTER

SP-901

SP-902

40

# SP-901



GOOD GRIP ON ICE  
AND SNOWY ROAD




HANDLING




SAFETY


## TIRE PERFORMANCE




- Ice-axe shaped pattern groove design provides excellent grip on snowy conditions.



- The zigzag patterns increase the friction between tires and snowy road, reduce the chance of the car slipping on the snowy road.




- Special round hole design inspired from the bionic gecko's toe, increasing surface adsorption capability between the tire and ice whilst providing excellent traction and braking on hard ice and snowy road conditions.



- Special silica compound & soft tread for excellent traction and braking performance on snowy surfaces.

- 3 wide lugs provide excellent water dispersion performance.



- 3D sipes ensure the pattern blocks to squirm with each other and provide interlocking function, taking into account the tread rigidity.

RIM Diameter	Size	Load type	LI	SS	R.R	W/G	Noise Value	Noise level
14"	155/65R14		75	T	D	D	71	)
	165/60R14		75	T	D	D	71	)
	165/65R14		79	T	D	D	71	)
	165/70R14	XL	85	T	D	D	71	)
	175/65R14	XL	86	T	D	D	71	)
	175/70R14	XL	88	T	D	D	71	)
	175/80R14		88	T	D	D	71	)
	185/55R14		80	H	D	D	71	)
	185/60R14	XL	86	H	D	D	71	)
	185/65R14		86	T	D	D	71	)
	185/70R14		88	T	D	D	71	)
	175/55R15		77	T	D	D	71	)
15"	175/65R15	XL	88	T	D	D	71	)
	185/55R15	XL	86	H	D	D	71	)
	185/60R15	XL	88	T	D	D	71	)
	185/65R15		88	H	D	D	71	)
	195/50R15		82	H	D	D	72	)
	195/55R15		85	H	D	D	72	)
	195/60R15		88	H	D	D	72	)
	195/65R15		91	H	D	D	72	)
	205/65R15		94	T	D	D	72	)
	205/70R15		96	T	D	D	72	)
	215/65R15	XL	100	H	D	C	72	)
	215/75R15		100	S	D	C	72	)
16"	175/60R16		82	H	D	D	71	)
	195/45R16	XL	84	H	D	D	72	)
	195/50R16	XL	88	V	D	D	72	)
	195/55R16		87	H	D	D	72	)
	195/60R16		89	H	D	D	72	)
	205/45R16	XL	87	V	D	D	72	)
	205/50R16	XL	91	V	D	D	72	)
	205/55R16		91	H	D	D	72	)
	205/55R16	XL	94	H	D	D	72	)
	205/60R16		92	H	D	D	72	)
	205/60R16	XL	96	H	D	D	72	)
	215/55R16	XL	97	H	D	C	72	)
	215/60R16	XL	99	H	D	C	72	)
	215/65R16		98	H	D	C	72	)
	215/70R16		100	T	D	C	72	)
	225/55R16	XL	99	V	D	C	72	)
	225/60R16	XL	102	H	D	C	72	)
	225/70R16		103	H	D	C	72	)
235/60R16		100	H	D	C	69	)	
235/70R16		106	T	D	C	69	)	
245/70R16		107	T	D	C	69	)	
*255/70R16		111	H					
265/70R16		112	T	D	C	73	)	
17"	205/40R17	XL	84	V	D	D	72	)
	205/45R17	XL	88	V	D	D	72	)
	205/50R17	XL	93	V	D	D	72	)
	205/55R17	XL	95	H	D	D	72	)
	215/40R17	XL	87	V	D	D	72	)
	215/45R17	XL	91	V	D	C	72	)
	215/50R17		91	H	D	C	72	)
	215/55R17	XL	98	V	D	C	72	)
	215/60R17		96	H	D	C	72	)
	215/65R17		99	H	D	C	72	)
	225/45R17	XL	94	V	D	C	72	)
	225/50R17	XL	98	V	D	C	72	)
	225/55R17	XL	101	V	D	C	72	)
	225/60R17		99	H	D	C	72	)
	225/65R17		102	H	D	C	72	)
	235/45R17	XL	97	V	D	C	69	)
	235/55R17	XL	103	V	D	C	69	)
	235/60R17		102	V	D	C	69	)
235/65R17	XL	108	V	D	C	69	)	
245/45R17	XL	99	V	D	C	72	)	
245/65R17	XL	111	H	D	C	69	)	
*245/70R17		110	H					
265/65R17	XL	116	H	D	C	73	)	

Notes: \* under development

SP-901

RIM Diameter	Size	Load type	LI	SS	R.R	W/G	Noise Value	Noise level	
18"	215/50R18		92	W	D	C	72	)	
	215/55R18		95	H	D	C	72	)	
	225/40R18	XL	92	V	D	C	72	)	
	225/45R18	XL	95	W	D	C	72	)	
	225/50R18	XL	99	V	D	C	72	)	
	225/55R18	XL	102	V	D	C	72	)	
	225/60R18		100	H	D	C	72	)	
	235/40R18	XL	95	V	D	C	72	)	
	235/45R18	XL	98	V	D	C	72	)	
	235/50R18	XL	101	V	D	C	69	)	
	235/55R18	XL	104	V	D	C	69	)	
	235/60R18	XL	107	V	D	C	69	)	
	235/65R18	XL	110	H	D	C	69	)	
	245/40R18	XL	97	V	D	C	72	)	
	245/45R18	XL	100	V	D	C	69	)	
	255/40R18	XL	99	H	D	C	73	)	
	255/45R18	XL	103	W	D	C	73	)	
	255/55R18	XL	109	V	D	C	73	)	
	265/60R18	XL	114	H	D	C	73	)	
	*285/60R18		116	H					
	19"	225/35R19	XL	88	W	D	D	72	)
225/45R19		XL	96	V					
225/55R19		XL	103	V	D	C	72	)	
235/35R19		XL	91	W	D	D	72	)	
235/40R19		XL	96	V					
235/45R19		XL	99	V	D	C	72	)	
235/50R19		XL	103	V	D	C	69	)	
235/55R19		XL	105	V	D	C	69	)	
245/40R19		XL	98	W	D	C	72	)	
245/45R19		XL	102	W	D	C	72	)	
*245/55R19			103	H					
255/35R19		XL	96	V	D	C	73	)	
255/40R19		XL	100	W	D	C	73	)	
255/45R19		XL	104	V	D	C	73	)	
255/50R19	XL	107	V	D	C	73	)		
255/55R19	XL	111	V	D	C	73	)		
20"	*235/55R20	XL	105	H					
	*255/50R20	XL	109	H					
	275/40R20	XL	106	W	D	C	73	)	
	275/45R20	XL	110	W	D	C	73	)	
21"	295/35R21	XL	107	V	D	C	73	)	

Notes: \* under development

# SP-902



EXCELLENT GRIP



HANDLING AND SAFETY PERFORMANCE ON ICE & SNOWY ROAD CONDITIONS

## TIRE PERFORMANCE



SUITABLE FOR LIGHT TRUCK/PICK-UP/VAN/PASSENGER CAR

- The serrated continuous block design increases the friction between the snowy road and tires, reduces the chance of the car slipping on the snowy road.
- Continuous pattern block design prevents slipping on the snowy road, and offers excellent handling response.
- Special silica compound & soft tread provides excellent performance in low temperature conditions.
- Three wide lugs for excellent water dispersion performance.
- Variant sipes suit for more road conditions.
- 3D sipes ensure the pattern blocks to squirm with each other and provide interlocking function, taking into account the tread rigidity.

RIM Diameter	Size	Load type	PR	LI	SS	R.R	W/G	Noise Value	Noise level
12"	145/70R12			69	S	D	D	71	)
	155R12C		8PR	88/86	Q	D	C	73	)
13"	145/80R13			75	T	D	D	71	)
	155/65R13			73	T	D	D	71	)
	155/70R13			75	T	D	D	71	)
	155/80R13			79	T	D	D	71	)
	155R13C		8PR	90/88	Q	D	C	73	)
	165/70R13			79	T	D	D	71	)
	165R13C		8PR	94/93	Q	D	C	73	)
14"	175/70R13	XL		86	T	D	D	69	)
	175/70R14C		6PR	95/93	Q	D	C	73	)
	175/75R14C		8PR	99/98	S	D	C	73	)
	175R14C		8PR	99/98	Q	D	C	73	)
	185R14C		8PR	102/100	Q	D	C	73	)
	195R14C		8PR	106/104	Q	D	C	73	)
	6.00R14LT		10PR	99/95	Q	D	C	73	)
15"	185R15C		8PR	103/102	R				
	195/70R15C		8PR	104/102	Q	D	C	73	)
	195R15C		8PR	106/104	Q				
	205/70R15C		8PR	106/104	R	D	C	73	)
	215/65R15C		6PR	104/102	T	D	C	73	)
	215/70R15C		8PR	109/107	R	D	C	73	)
	225/70R15C		8PR	112/110	Q	D	C	70	)
	6.00R15LT		10PR	101/97	Q	D	C	73	)
	185/75R16C		8PR	104/102	R	D	C	73	)
	195/60R16C		6PR	99/97	T	D	C	73	)
16"	195/65R16C		8PR	104/102(100)	T	D	C	73	)
	195/75R16C		8PR	107/105	R	D	C	73	)
	205/65R16C		8PR	107/105(103)	T	D	C	73	)
	205/75R16C		8PR	110/108	Q	D	C	73	)
	215/60R16C		6PR	103/101	T	D	C	73	)
	215/65R16C		8PR	109/107(106)	R(T)	D	C	73	)
	215/75R16C		10PR	116/114	N	D	C	73	)
	225/65R16C		8PR	112/110	R	D	C	70	)
	225/75R16C		10PR	121/120	R	D	C	70	)
	235/65R16C		8PR	115/113	R	D	C	70	)
17"	245/75R16LT		10PR	120/116	Q	D	C	70	)
	7.00R16LT		12PR	115/110	Q				
	215/60R17C		8PR	109/107	T	D	C	73	)
	225/55R17C		10PR	109/107	H	D	C	73	)

Date

Date